



FIRE HOSE DATASHEETS

30+ Years in the Hydraulic Industry

 **01472 255 928**

 www.hydraulicmegastore.com |  hello@hydraulicmegastore.com

 Unit 3 Estate Road 5, South Humberside Industrial Estate, Grimsby, North East Lincs, DN31 2TG



FIRE REEL







FIRE REEL PVC FIRE HOSE



BRANDING: EN 694 A19 QTR/YR | **COLOUR:** RED OUTER / BLACK INNER | **TEMP:** -20°C to +60°C

PRODUCT INFORMATION

ORDER REF	FRH-SIZE-MM
TUBE	SPECIAL THERMORUB COMPOUND
REINFORCEMENT	TEXTILE REINFORCEMENT
COVER	ABRASION, HEAT AND WEATHER RESISTANT THERMORUB COMPOUND, CADMIUM AND SILICON FREE. RESISTANT TO WIDE RANGE OF CHEMICALS, FLEXIBLE AND DURABLE
APPLICATION	SUITABLE FOR USE ON FIXED REEL INSTALLATIONS IN PUBLIC BUILDINGS AND OFFICES, EXTERIOR AND INTERIOR

	 ID	 OD	 WP	 BR	 W/A	 COIL
inch	mm	mm	BAR	mm	gr/m	m
3/4	19	26	12	135	360	30
1	25	34	12	210	632	30

30+ Years in the Hydraulic Industry

 **01472 255 928**

 www.hydraulicmegastore.com |  hello@hydraulicmegastore.com

 Unit 3 Estate Road 5, South Humberside Industrial Estate, Grimsby, North East Lincs, DN31 2TG

A PROUD PART OF
R&G
FLUID POWER GROUP

BRIGADIER








LAYFLAT FIRE FIGHTING DELIVERY HOSE TYPE 3



BRANDING: NONE | **COLOUR:** RED - ALSO AVAILABLE IN BLUE, BLACK AND YELLOW | **TEMP:** 340°C to +80°C

PRODUCT INFORMATION

ORDER REF	BRG-SIZE-MM
COVER	HEAVY DUTY HOSE RESISTANT TO OIL, FUEL AND CHEMICAL PRODUCTS. LONG LIFE AND KINK RESISTANT. SYNTHETIC TEXTILE - INNER AND OUTER ARE HIGH PERFORMANCE NITRILE RUBBER RIBBED OUTER SURFACE FOR EASE OF HANDLING WHICH INCREASES ABRASION RESISTANCE
APPLICATION	FOR MUNICIPAL FIRE BRIGADES, INDUSTRIAL FIRE BRIGADES AND AGRICULTURE, IRRIGATION, GENERAL PUMPING, FOR SHIPBOARD AND MARINE INDUSTRIES, OIL & CHEMICAL REFINERIES, CONSTRUCTION INDUSTRY AND OTHER GENERAL INDUSTRIAL USE

	 ID	Wall Thickness	 BP	 WP	 WP	 BR	 W/A	 COL
inch	mm	mm	BAR	BAR *2:1	BAR *3:1	mm	gr/m	m
1	25	1,70	60	30	20	60	220	15/18/20/23/25/30/60
1 1/4	32	2,10	60	30	20	60	280	15/18/20/23/25/30/60
1 1/2	38	2,10	60	30	20	60	330	15/18/20/23/25/30/60
1 3/4	45	2,10	60	30	20	60	380	15/18/20/23/25/30/60
2	52	2,30	50	25	17	60	440	15/18/20/23/25/30/60
2 1/2	64	2,30	50	25	17	60	570	15/18/20/23/25/30/60
2 3/4	70	2,30	50	25	17	60	620	15/18/20/23/25/30/60
3	75	2,60	50	25	17	80	700	15/18/20/23/25/30/60
4	102	3,00	40	20	13	125	1120	15/18/20/23/25/30/60

30+ Years in the Hydraulic Industry

 **01472 255 928**

 www.hydraulicmegastore.com |  hello@hydraulicmegastore.com

 Unit 3 Estate Road 5, South Humberside Industrial Estate, Grimsby, North East Lincs, DN31 2TG

RIBBLELITE







LAYFLAT FIRE FIGHTING HOSE RIBBLELITE TYPE 2



BRANDING: NONE | **COLOUR:** RED/BLUE/WHITE | **TEMP:** -30°C to +80°C

PRODUCT INFORMATION

ORDER REF	RIB-SIZE-MM
TUBE	OIL MIST REISTANT SYNTHETIC BLACK SBR, SYNTHETIC RUBBER AND WHITE NBR SYNTHETIC ADHESIVE, RESISTANT TO OZONE AND EXTERNAL CONTACT WITH OIL PRODUCTS
COVER	100% POLYESTER HIGH TENACITY YARN, CIRCULAR WOVEN, WARP THREADS, TWILL WEAVE OR PLAIN WEAVE
APPLICATION	MUNICIPAL FIRE BRIGADES, INDUSTRIAL FIRE BRIGADES, AGRICULTURE AND IRRIGATION, SHIPBOARD AND MARINE INDUSTRIES, REFIENERIES AND CONSTRUCTION SITES SPECIFICATION: BS 6391 TYPE 1

	 ID	 BP	 WP	 WP	 W/A	Wall Thickness	 coil	
	inch	mm	BAR	2:1 BAR	3:1 BAR	gr/m	mm	m
	1 1/4	32	40	20	13	170	1,30	up to 92
	1 1/2	38	40	20	13	200	1,40	up to 92
	1 3/4	45	40	20	13	240	1,40	up to 92
	2	52	40	20	13	280	1,50	up to 92
	2 1/2	64	40	20	13	380	1,50	up to 92
	2 3/4	70	40	20	13	450	1,50	up to 92
	3	75	40	20	13	500	1,60	up to 92

30+ Years in the Hydraulic Industry

 **01472 255 928**

 www.hydraulicmegastore.com |  hello@hydraulicmegastore.com

 Unit 3 Estate Road 5, South Humberside Industrial Estate, Grimsby, North East Lincs, DN31 2TG



-30°C to +100°C

A PROUD PART OF
R&G
FLUID POWER GROUP